



APPLIED MATHEMATICS &
STATISTICS, AND SCIENTIFIC
COMPUTATION PROGRAM

Finite EXpression Method (FEX) for Solving High-Dimensional Committor Problems

Zezheng Song


Joint work with Maria Cameron and Haizhao Yang

Scientific Machine Learning: Theory and Algorithms, Brin Mathematics Research Center


Zezheng Song
zsong001@umd.edu

Rare Transitions in Molecular Dynamics


Examples:



(a) Chemical Reaction




(b) Protein Folding



(c) Material Sciences

Problem Setting

Dynamics governed by an SDE,



where:

- ▶ $\mathbf{x}_t \in \Omega \subset \mathbb{R}^d$ is the state of the system;
- ▶ $V : \mathbb{R}^d \rightarrow \mathbb{R}$ is a smooth potential;
- ▶ $\beta = 1/T$ is the inverse of temperature;
- ▶ \mathbf{w}_t is the standard d -dimensional Brownian motion.

We are interested in

$$q(\mathbf{x}) = \mathbb{P} \left(\tau_B < \tau_A \mid \mathbf{x}_0 = \mathbf{x} \right)$$

Committer Function as a PDE Solution

$$\begin{cases} (Lq)(\mathbf{x}) = 0 & \text{for } x \notin A \cup B \\ q(\mathbf{x}) = 0 & \text{for } x \in A \\ q(\mathbf{x}) = 1 & \text{for } x \in B. \end{cases}$$

where L is the infinitesimal generator of the process defined as:

$$Lq = -\beta^{-1} \Delta q + \nabla V \cdot \nabla q$$

Previous work:

- **Diffusion map**

Coifman, R. R., Kevrekidis, I. G., Lafon, S., Maggioni, M., & Nadler, B. (2008). Diffusion maps, reduction coordinates, and low dimensional representation of stochastic systems. *Multiscale Modeling & Simulation*

Lai, R., & Lu, J. (2018). Point Cloud Discretization of Fokker-Planck Operators for Committer Functions. *Multiscale Modeling & Simulation*

Evans, L., Cameron, M. K., & Tiwary, P. (2023). Computing committers in collective variables via Mahalanobis diffusion maps. *Applied and Computational Harmonic Analysis*

- **Neural network**

Khoo, Y., Lu, J., & Ying, L. (2019). Solving for high-dimensional committer functions using artificial neural networks. *Research in the Mathematical Sciences*

Li, H., Khoo, Y., Ren, Y., & Ying, L. (2022, April). A semigroup method for high dimensional committer functions based on neural network. In *Mathematical and Scientific Machine Learning*

- **Tensor network**

Chen, Y., Hoskins, J., Khoo, Y., & Lindsey, M. (2023). Committer functions via tensor networks. *Journal of Computational Physics*

Lessen Curse of Dimensionality with FEX



Difficulty in solving BVP: **curse of dimensionality**.

Example: configuration spaces of dimension \propto number of atoms.

However, they usually possess a low-dimensional structure, e.g. collective variables.

Our work: FEX can **identify the low-dimensional structure**.

FEX: A generative model for math expression



NN Controller χ


Parameterization of committer by FEX

Variational formulation:

$$C(q) = \int_{\Omega_{AB}} \|\nabla q(\mathbf{x})\|^2 d\rho(\mathbf{x}) + \tilde{c} \left(\int_{\partial A} q(\mathbf{x})^2 dm_{\partial A}(\mathbf{x}) + \int_{\partial B} (q(\mathbf{x}) - 1)^2 dm_{\partial B}(\mathbf{x}) \right)$$

and parameterize $q(\mathbf{x})$ with **FEX binary trees**.

with $d\rho(\mathbf{x}) = \mathbf{Z}^{-1} \exp^{-\beta V(\mathbf{x})} d\mathbf{x}$



Example 1: Double-Well Potential

Consider the potential

$$V(\mathbf{x}) = \underbrace{(x_1^2 - 1)^2}_{\text{collective variable}} + 0.3 \sum_{i=2}^d x_i^2$$



with

$$A = \{x \in \mathbb{R}^d \mid x_1 \leq -1\}, \quad B = \{x \in \mathbb{R}^d \mid x_1 \geq 1\}$$

The ground truth solution is $q(\mathbf{x}) = f(x_1)$

$$\frac{d^2 f(x_1)}{dx_1^2} - 4x_1(x_1^2 - 1) \frac{df(x_1)}{dx_1} = 0, \quad f(-1) = 0, \quad f(1) = 1$$

Example 1: Double-Well Potential



Example 1: Double-Well Potential

FEX identifies the following representation

$$\text{leaf 1: Id} \rightarrow \alpha_{1,1}x_1 + \dots + \alpha_{1,10}x_{10} + \beta_1$$

$$\text{leaf 2: tanh} \rightarrow \alpha_{2,1} \tanh(x_1) + \dots + \alpha_{2,10} \tanh(x_{10}) + \beta_2$$

$$\mathcal{J}(\mathbf{x}) = \alpha_3 \tanh(\text{leaf 1} + \text{leaf 2}) + \beta_3$$

where $\alpha_3 = 0.5$, $\beta_3 = 0.5$

node	α_1	α_2	α_3	α_4	α_5	α_6	α_7	α_8	α_9	α_{10}	β
leaf 1: Id	1.6798	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
leaf 2: tanh	1.9039	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Therefore, we can use spectral method to solve the ODE to achieve

spectral accuracy.

Example 2: Rugged-Mueller's Potential

Consider the committer corresponding to the following potential:

$$V(\mathbf{x}) = \underbrace{\tilde{V}(x_1, x_2)}_{\text{collective variables}} + \frac{1}{2\sigma^2} \sum_{i=3}^{10} x_i^2$$


where

$$\tilde{V}(x_1, x_2) = \sum_{i=1}^4 D_i e^{a_i(x_1 - X_i)^2 + b_i(x_1 - X_i)(x_2 - Y_i) + c_i(x_2 - Y_i)^2} + \gamma \sin(2k\pi x_1) \sin(2k\pi x_2)$$


The domain of interest $\Omega : [-1.5, 1] \times [-0.5, 2] \times \mathbb{R}^8$, and

$$A = \left\{ \mathbf{x} \in \mathbb{R}^{10} \mid \sqrt{(x_1 + 0.57)^2 + (x_2 - 1.43)^2} \leq 0.3 \right\}$$
$$B = \left\{ \mathbf{x} \in \mathbb{R}^{10} \mid \sqrt{(x_1 - 0.56)^2 + (x_2 - 0.044)^2} \leq 0.3 \right\}$$

Example 2: Rugged-Mueller's Potential



(a) $T = 22$ committer (FEM)



(b) $T = 22$ committer (FEX)

Conclusion

- FEX is a new methodology to solve high-dimensional committers (PDEs), demonstrating **higher accuracy** compared to the neural network method.
- FEX can **identify the low-dimensional** structure inherent in the problem.
- Once FEX successfully identifies the low-dimensional structure, we can achieve **arbitrary accuracy** by solving the reduced low-dimensional problem with classical methods, e.g. finite element method.

Thank you!

<https://arxiv.org/abs/2306.12268>