

# Data-dependent representations: Laplacian Eigenmaps

Wojciech Czaja

November 4, 2015



# Data Organization and Manifold Learning

- There are many techniques for Data Organization and Manifold Learning, e.g., Principal Component Analysis (PCA), Locally Linear Embedding (LLE), Isomap, genetic algorithms, and neural networks.
- We are interested in a subfamily of these techniques known as *Kernel Eigenmap Methods*. These include Kernel PCA, LLE, Hessian LLE (HLLE), and Laplacian Eigenmaps.
- Kernel eigenmap methods require two steps. Given data space  $X$  of  $N$  vectors in  $\mathbb{R}^D$ .
  - 1 Construction of an  $N \times N$  symmetric, positive semi-definite kernel,  $K$ , from these  $N$  data points in  $\mathbb{R}^D$ .
  - 2 Diagonalization of  $K$ , and then choosing  $d \leq D$  *significant* eigenmaps of  $K$ . These become our new coordinates, and accomplish dimensionality reduction.

We are particularly interested in diffusion kernels  $K$ , which are defined by means of transition matrices.

# Kernel Eigenmap Methods for Dimension Reduction - Kernel Construction

- Kernel eigenmap methods were introduced to address complexities not resolvable by linear methods.
- The idea behind *kernel methods* is to express correlations or similarities between vectors in the data space  $X$  in terms of a symmetric, positive semi-definite kernel function  $K : X \times X \rightarrow \mathbb{R}$ . Generally, there exists a Hilbert space  $\mathbb{K}$  and a mapping  $\Phi : X \rightarrow \mathbb{K}$  such that


$$K(x, y) = \langle \Phi(x), \Phi(y) \rangle.$$

Then, diagonalize by the spectral theorem and choose significant eigenmaps to obtain dimensionality reduction.

- Kernels can be constructed by many kernel eigenmap methods. These include Kernel PCA, LLE, HLLC, and Laplacian Eigenmaps.

# Kernel Eigenmap Methods for Dimension Reduction - Kernel Diagonalization

- The second step in kernel eigenmap methods is the diagonalization of the kernel.
- Let  $e_j, j = 1, \dots, N$ , be the set of eigenvectors of the kernel matrix  $K$ , with eigenvalues  $\lambda_j$ .
- Order the eigenvalues monotonically.
- Choose the top  $d \ll D$  significant eigenvectors to map the original data points  $x_i \in \mathbb{R}^D$  to  $(e_1(i), \dots, e_d(i)) \in \mathbb{R}^d, i = 1, \dots, N$ .



There are other alternative interpretations for the steps of our diagram:

- 1 Constructions of kernels  $K$  may be independent from data and based on principles.
- 2 Redundant representations, such as frames, can be used to replace orthonormal eigendecompositions.

We need not select the target dimensionality to be lower than the dimension of the input. This leads, to data expansion, or data organization, rather than dimensionality reduction.

# Operator Theory on Graphs

- Presented approach leads to analysis of operators on data-dependent structures, such as graphs or manifolds.
- Locally Linear Embedding, Diffusion Maps, Diffusion Wavelets, Laplacian Eigenmaps, Schroedinger Eigenmaps
- Mathematical core:
  - Pick a positive semidefinite bounded operator  $A$  as the infinitesimal generator of a semigroup of operators,  $e^{tA}$ ,  $t > 0$ .
  - The semigroup can be identified with the Markov processes of diffusion or random walks, as is the case, e.g., with Diffusion Maps and Diffusion Wavelets
  - The infinitesimal generator and the semigroup share the common representation, e.g., eigenbasis

# Laplacian Eigenmaps

- M. Belkin and P. Niyogi, 2003.
- Points close on the manifold should remain close in  $\mathbb{R}^d$ .
- Use Laplace-Beltrami operator  $\Delta_{\mathcal{M}}$  to control the embedding.
- Use discrete approximations for practical problems.
- Proven convergence (Belkin and Niyogi, 2003 – 2008).
- Gave rise to Diffusion Maps and Diffusion Wavelets, among others.

# Laplacian Eigenmaps - Implementation

- 1 Put an edge between nodes  $i$  and  $j$  if  $x_i$  and  $x_j$  are close. Precisely, given a parameter  $k \in \mathbb{N}$ , put an edge between nodes  $i$  and  $j$  if  $x_i$  is among the  $k$  nearest neighbors of  $x_j$  or vice versa.
- 2 Given a parameter  $t > 0$ , if nodes  $i$  and  $j$  are connected, set
$$W_{i,j} = e^{-\frac{\|x_i - x_j\|^2}{t}}.$$
- 3 Set  $D_{i,i} = \sum_j W_{i,j}$ , and let  $L = D - W$ . Solve  $Lf = \lambda Df$ , under the constraint  $y^T Dy = Id$ . Let  $f_0, f_1, \dots, f_d$  be  $d + 1$  eigenvector solutions corresponding to the first eigenvalues  $0 = \lambda_0 \leq \lambda_1 \leq \dots \leq \lambda_d$ . Discard  $f_0$  and use the next  $d$  eigenvectors to embed in  $d$ -dimensional Euclidean space using the map  $x_i \rightarrow (f_1(i), f_2(i), \dots, f_d(i))$ .



# Swiss Roll




Figure : a) Original, b) LE

# From eigenproblems to optimization

Consider the following minimization problem,  $y \in \mathbb{R}^d$ ,

$$\min_{y^\top Dy=Id} \frac{1}{2} \sum_{i,j} \|y_i - y_j\|^2 W_{i,j} = \min_{y^\top Dy=E} \text{tr}(y^\top Ly).$$

Its solution is given by the  $d$  minimal non-zero eigenvalue solutions of  $Lf = \lambda Df$  under the constraint  $y^\top Dy = Id$ .

The Matlab Toolbox for Dimensionality Reduction, developed by Laurens van der Maaten, contains Matlab implementations of 34 techniques for dimensionality reduction and metric learning, including Laplacian Eigenmaps (LE). It can be found at and downloaded from his website:

<http://lvdmaaten.github.io/drtoolbox/>

Please note that LE solves a generalized eigenvalue problem, and does not simply take eigenvectors of Graph Laplacian.